

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	5.3%		3.4%
	13-19	Count	1	1	2
		% within Sex	5.3%	10.0%	6.9%
	20-24	Count	2	1	3
		% within Sex	10.5%	10.0%	10.3%
	25-29	Count	1	1	2
		% within Sex	5.3%	10.0%	6.9%
	30-39	Count	5	4	9
		% within Sex	26.3%	40.0%	31.0%
	40-49	Count	7	2	9
		% within Sex	36.8%	20.0%	31.0%
	50-59	Count	2	1	3
		% within Sex	10.5%	10.0%	10.3%
Total	Count	19	10	29	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	3	8
		% within Sex	26.3%	30.0%	27.6%
	African American	Count	12	7	19
		% within Sex	63.2%	70.0%	65.5%
	Hispanic	Count	2		2
		% within Sex	10.5%		6.9%
	Total	Count	19	10	29
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8		8
		% within Sex	42.1%		27.6%
	IDU	Count	2	2	4
		% within Sex	10.5%	20.0%	13.8%
	M-M & IDU	Count	2		2
		% within Sex	10.5%		6.9%
	Heterosexual Contact	Count	3	3	6
		% within Sex	15.8%	30.0%	20.7%
	Not Classified	Count	3	5	8
		% within Sex	15.8%	50.0%	27.6%
	Ped Other-Undet	Count	1		1
		% within Sex	5.3%		3.4%
Total	Count	19	10	29	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		8	8
		% within Adult-Ped		28.6%	27.6%
	African American	Count	1	18	19
		% within Adult-Ped	100.0%	64.3%	65.5%
	Hispanic	Count		2	2
		% within Adult-Ped		7.1%	6.9%
Total	Count	1	28	29	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	18	19
		% within Adult-Ped	100.0%	64.3%	65.5%
	Female	Count		10	10
		% within Adult-Ped		35.7%	34.5%
Total		Count	1	28	29
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		2	2
		% within Sex		18.2%	7.4%
	20-24	Count		2	2
		% within Sex		18.2%	7.4%
	25-29	Count	3		3
		% within Sex	18.8%		11.1%
	30-39	Count	10	5	15
		% within Sex	62.5%	45.5%	55.6%
	40-49	Count	2	1	3
		% within Sex	12.5%	9.1%	11.1%
	50-59	Count	1		1
		% within Sex	6.3%		3.7%
	60-69	Count		1	1
		% within Sex		9.1%	3.7%
Total		Count	16	11	27
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	2	9
		% within Sex	43.8%	18.2%	33.3%
	African American	Count	7	6	13
		% within Sex	43.8%	54.5%	48.1%
	Hispanic	Count	1	3	4
		% within Sex	6.3%	27.3%	14.8%
	Am Indian-Alaskan	Count	1		1
		% within Sex	6.3%		3.7%
Total	Count	16	11	27	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7		7
		% within Sex	43.8%		25.9%
	IDU	Count	1	1	2
		% within Sex	6.3%	9.1%	7.4%
	M-M & IDU	Count	1		1
		% within Sex	6.3%		3.7%
	Heterosexual Contact	Count	1	5	6
		% within Sex	6.3%	45.5%	22.2%
	Not Classified	Count	6	5	11
		% within Sex	37.5%	45.5%	40.7%
Total	Count	16	11	27	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	33.3%	33.3%
	African American	Count	13	13
		% within Adult-Ped	48.1%	48.1%
	Hispanic	Count	4	4
		% within Adult-Ped	14.8%	14.8%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	3.7%	3.7%
Total	Count	27	27	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Bryan-College Station

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	16	16
		% within Adult-Ped	59.3%	59.3%
	Female	Count	11	11
		% within Adult-Ped	40.7%	40.7%
Total		Count	27	27
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Bryan-College Station

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	1	3
		% within Sex	3.7%	2.0%	2.9%
	13-19	Count	1	10	11
		% within Sex	1.9%	20.4%	10.7%
	20-24	Count	2	8	10
		% within Sex	3.7%	16.3%	9.7%
	25-29	Count	6	8	14
		% within Sex	11.1%	16.3%	13.6%
	30-39	Count	23	13	36
		% within Sex	42.6%	26.5%	35.0%
	40-49	Count	15	5	20
		% within Sex	27.8%	10.2%	19.4%
	50-59	Count	5	2	7
		% within Sex	9.3%	4.1%	6.8%
	60-69	Count		2	2
		% within Sex		4.1%	1.9%
Total	Count	54	49	103	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	15	7	22
		% within Sex	27.8%	14.3%	21.4%
	African American	Count	35	36	71
		% within Sex	64.8%	73.5%	68.9%
	Hispanic	Count	3	6	9
		% within Sex	5.6%	12.2%	8.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.9%		1.0%
Total	Count	54	49	103	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	19		19
		% within Sex	35.2%		18.4%
	IDU	Count	4	9	13
		% within Sex	7.4%	18.4%	12.6%
	M-M & IDU	Count	6		6
		% within Sex	11.1%		5.8%
	Heterosexual Contact	Count	7	25	32
		% within Sex	13.0%	51.0%	31.1%
	Not Classified	Count	16	14	30
		% within Sex	29.6%	28.6%	29.1%
Ped Parent at Risk	Count	1	1	2	
	% within Sex	1.9%	2.0%	1.9%	
Ped Other-Undet	Count	1		1	
	% within Sex	1.9%		1.0%	
Total	Count	54	49	103	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adolescent	
Race-Ethnicity	White Non-Hispanic	Count		22	22
		% within Adult-Ped		22.0%	21.4%
	African American	Count	3	68	71
		% within Adult-Ped	100.0%	68.0%	68.9%
	Hispanic	Count		9	9
		% within Adult-Ped		9.0%	8.7%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		1.0%	1.0%
	Total		3	100	103
			100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	52	54
		% within Adult-Ped	66.7%	52.0%	52.4%
	Female	Count	1	48	49
		% within Adult-Ped	33.3%	48.0%	47.6%
Total		Count	3	100	103
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	1	3
		% within Sex	3.8%	2.0%	3.0%
	13-19	Count	1	10	11
		% within Sex	1.9%	20.4%	10.9%
	20-24	Count	2	8	10
		% within Sex	3.8%	16.3%	9.9%
	25-29	Count	6	8	14
		% within Sex	11.5%	16.3%	13.9%
	30-39	Count	23	13	36
		% within Sex	44.2%	26.5%	35.6%
	40-49	Count	14	5	19
		% within Sex	26.9%	10.2%	18.8%
	50-59	Count	4	2	6
		% within Sex	7.7%	4.1%	5.9%
	60-69	Count		2	2
		% within Sex		4.1%	2.0%
	Total		52	49	101
			100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1		1
		% within Sex	1.9%		1.0%
	5-12	Count	1	1	2
		% within Sex	1.9%	2.0%	2.0%
	13-19	Count		1	1
		% within Sex		2.0%	1.0%
	20-24	Count	2	8	10
		% within Sex	3.8%	16.3%	9.9%
	25-29	Count	4	11	15
		% within Sex	7.7%	22.4%	14.9%
	30-39	Count	18	17	35
		% within Sex	34.6%	34.7%	34.7%
Total	40-49	Count	21	6	27
		% within Sex	40.4%	12.2%	26.7%
	50-59	Count	4	3	7
		% within Sex	7.7%	6.1%	6.9%
	60-69	Count	1	2	3
		% within Sex	1.9%	4.1%	3.0%
	Total	Count	52	49	101
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	15	7	22
		% within Sex	28.8%	14.3%	21.8%
	African American	Count	33	36	69
		% within Sex	63.5%	73.5%	68.3%
	Hispanic	Count	3	6	9
		% within Sex	5.8%	12.2%	8.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.9%		1.0%
	Total	Count	52	49	101
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	18		18
		% within Sex	34.6%		17.8%
	IDU	Count	3	9	12
		% within Sex	5.8%	18.4%	11.9%
	M-M & IDU	Count	6		6
		% within Sex	11.5%		5.9%
	Heterosexual Contact	Count	7	25	32
		% within Sex	13.5%	51.0%	31.7%
	Not Classified	Count	16	14	30
		% within Sex	30.8%	28.6%	29.7%
Ped Parent at Risk	Count	1	1	2	
	% within Sex	1.9%	2.0%	2.0%	
Ped Other-Undet	Count	1		1	
	% within Sex	1.9%		1.0%	
Total		Count	52	49	101
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adolescent	
Race-Ethnicity	White Non-Hispanic	Count		22	22
		% within Adult-Ped		22.4%	21.8%
	African American	Count	3	66	69
		% within Adult-Ped	100.0%	67.3%	68.3%
	Hispanic	Count		9	9
		% within Adult-Ped		9.2%	8.9%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		1.0%	1.0%
	Total		3	98	101
			100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	50	52
		% within Adult-Ped	66.7%	51.0%	51.5%
	Female	Count	1	48	49
		% within Adult-Ped	33.3%	49.0%	48.5%
Total		Count	3	98	101
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	1	3	4
		% within Sex	9.1%	37.5%	21.1%
	30-39	Count	7	3	10
		% within Sex	63.6%	37.5%	52.6%
	40-49	Count	2	2	4
		% within Sex	18.2%	25.0%	21.1%
	50-59	Count	1		1
		% within Sex	9.1%		5.3%
Total	Count	11	8	19	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3	2	5
		% within Sex	27.3%	25.0%	26.3%
	African American	Count	7	6	13
		% within Sex	63.6%	75.0%	68.4%
	Hispanic	Count	1		1
		% within Sex	9.1%		5.3%
	Total		Count	11	8
			% within Sex	100.0%	100.0%

a. HSDA = Bryan-College Station

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	36.4%		21.1%
	IDU	Count	5	2	7
		% within Sex	45.5%	25.0%	36.8%
	Heterosexual Contact	Count	1	2	3
		% within Sex	9.1%	25.0%	15.8%
	Transfusion	Count		2	2
		% within Sex		25.0%	10.5%
	Not Classified	Count	1	2	3
		% within Sex	9.1%	25.0%	15.8%
Total	Count	11	8	19	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	5
		% within Adult-Ped	26.3%	26.3%
	African American	Count	13	13
		% within Adult-Ped	68.4%	68.4%
	Hispanic	Count	1	1
		% within Adult-Ped	5.3%	5.3%
Total	Count	19	19	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Bryan-College Station

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	11	11
		% within Adult-Ped	57.9%	57.9%
	Female	Count	8	8
		% within Adult-Ped	42.1%	42.1%
Total		Count	19	19
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Bryan-College Station

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	5.9%		4.5%
	25-29	Count	2	1	3
		% within Sex	11.8%	20.0%	13.6%
	30-39	Count	8	1	9
		% within Sex	47.1%	20.0%	40.9%
	40-49	Count	3	3	6
		% within Sex	17.6%	60.0%	27.3%
	50-59	Count	2		2
		% within Sex	11.8%		9.1%
	70+	Count	1		1
		% within Sex	5.9%		4.5%
Total	Count	17	5	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7		7
		% within Sex	41.2%		31.8%
	African American	Count	9	5	14
		% within Sex	52.9%	100.0%	63.6%
	Hispanic	Count	1		1
		% within Sex	5.9%		4.5%
Total	Count	17	5	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	5		5
		% within Sex	29.4%		22.7%
	IDU	Count		3	3
		% within Sex		60.0%	13.6%
	M-M & IDU	Count	2		2
		% within Sex	11.8%		9.1%
	Heterosexual Contact	Count	2	2	4
		% within Sex	11.8%	40.0%	18.2%
	Transfusion	Count	1		1
		% within Sex	5.9%		4.5%
	Not Classified	Count	7		7
		% within Sex	41.2%		31.8%
Total	Count	17	5	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	31.8%	31.8%
	African American	Count	14	14
		% within Adult-Ped	63.6%	63.6%
	Hispanic	Count	1	1
		% within Adult-Ped	4.5%	4.5%
Total	Count	22	22	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Bryan-College Station

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	17	17
		% within Adult-Ped	77.3%	77.3%
	Female	Count	5	5
		% within Adult-Ped	22.7%	22.7%
Total		Count	22	22
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Bryan-College Station

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.4%		.3%
	13-19	Count	1	3	4
		% within Sex	.4%	4.6%	1.4%
	20-24	Count	11	10	21
		% within Sex	4.9%	15.4%	7.2%
	25-29	Count	33	16	49
		% within Sex	14.6%	24.6%	16.8%
	30-39	Count	93	20	113
		% within Sex	41.2%	30.8%	38.8%
	40-49	Count	55	11	66
		% within Sex	24.3%	16.9%	22.7%
	50-59	Count	22	4	26
		% within Sex	9.7%	6.2%	8.9%
	60-69	Count	7	1	8
		% within Sex	3.1%	1.5%	2.7%
	70+	Count	3		3
		% within Sex	1.3%		1.0%
Total		Count	226	65	291
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	113	19	132
		% within Sex	50.0%	29.2%	45.4%
	African American	Count	84	44	128
		% within Sex	37.2%	67.7%	44.0%
	Hispanic	Count	29	2	31
		% within Sex	12.8%	3.1%	10.7%
Total	Count	226	65	291	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	120		120
		% within Sex	53.1%		41.2%
	IDU	Count	27	15	42
		% within Sex	11.9%	23.1%	14.4%
	M-M & IDU	Count	22		22
		% within Sex	9.7%		7.6%
	Hemophiliac	Count	1		1
		% within Sex	.4%		.3%
	Heterosexual Contact	Count	14	29	43
		% within Sex	6.2%	44.6%	14.8%
	Transfusion	Count	8	3	11
		% within Sex	3.5%	4.6%	3.8%
Total	Not Classified	Count	33	17	50
		% within Sex	14.6%	26.2%	17.2%
	Ped Parent at Risk	Count	1		1
		% within Sex	.4%		.3%
	Ped Other-Undet	Count		1	1
		% within Sex		1.5%	.3%
	Count		226	65	291
	% within Sex		100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		132	132
		% within Adult-Ped		45.5%	45.4%
	African American	Count	1	127	128
		% within Adult-Ped	100.0%	43.8%	44.0%
	Hispanic	Count		31	31
		% within Adult-Ped		10.7%	10.7%
Total	Count	1	290	291	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	225	226
		% within Adult-Ped	100.0%	77.6%	77.7%
	Female	Count		65	65
		% within Adult-Ped		22.4%	22.3%
Total		Count	1	290	291
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	1.2%		.9%
	13-19	Count		2	2
		% within Sex		5.7%	1.7%
	20-24	Count	3	4	7
		% within Sex	3.7%	11.4%	6.0%
	25-29	Count	8	9	17
		% within Sex	9.8%	25.7%	14.5%
	30-39	Count	41	10	51
		% within Sex	50.0%	28.6%	43.6%
	40-49	Count	18	8	26
		% within Sex	22.0%	22.9%	22.2%
	50-59	Count	10	2	12
		% within Sex	12.2%	5.7%	10.3%
	70+	Count	1		1
		% within Sex	1.2%		.9%
Total		Count	82	35	117
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1		1
		% within Sex	1.2%		.9%
	20-24	Count		2	2
		% within Sex		5.7%	1.7%
	25-29	Count	3	7	10
		% within Sex	3.7%	20.0%	8.5%
	30-39	Count	30	12	42
		% within Sex	36.6%	34.3%	35.9%
	40-49	Count	29	8	37
		% within Sex	35.4%	22.9%	31.6%
50-59	Count	15	5	20	
	% within Sex	18.3%	14.3%	17.1%	
60-69	Count	3	1	4	
	% within Sex	3.7%	2.9%	3.4%	
70+	Count	1		1	
	% within Sex	1.2%		.9%	
Total		Count	82	35	117
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	36	11	47
		% within Sex	43.9%	31.4%	40.2%
	African American	Count	34	22	56
		% within Sex	41.5%	62.9%	47.9%
	Hispanic	Count	12	2	14
		% within Sex	14.6%	5.7%	12.0%
Total	Count	82	35	117	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	32		32
		% within Sex	39.0%		27.4%
	IDU	Count	13	7	20
		% within Sex	15.9%	20.0%	17.1%
	M-M & IDU	Count	11		11
		% within Sex	13.4%		9.4%
	Heterosexual Contact	Count	11	16	27
		% within Sex	13.4%	45.7%	23.1%
	Transfusion	Count	1	3	4
		% within Sex	1.2%	8.6%	3.4%
Total	Not Classified	Count	13	8	21
		% within Sex	15.9%	22.9%	17.9%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.2%		.9%
	Ped Other-Undet	Count		1	1
		% within Sex		2.9%	.9%
	Total	Count	82	35	117
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		47	47
		% within Adult-Ped		40.5%	40.2%
	African American	Count	1	55	56
		% within Adult-Ped	100.0%	47.4%	47.9%
	Hispanic	Count		14	14
		% within Adult-Ped		12.1%	12.0%
Total	Count	1	116	117	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	81	82
		% within Adult-Ped	100.0%	69.8%	70.1%
	Female	Count		35	35
		% within Adult-Ped		30.2%	29.9%
Total		Count	1	116	117
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Bryan-College Station

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	2.2%	1.2%	1.8%
	13-19	Count	1	12	13
		% within Sex	.7%	14.3%	6.0%
	20-24	Count	5	12	17
		% within Sex	3.7%	14.3%	7.8%
	25-29	Count	14	17	31
		% within Sex	10.4%	20.2%	14.2%
	30-39	Count	64	23	87
		% within Sex	47.8%	27.4%	39.9%
	40-49	Count	32	13	45
		% within Sex	23.9%	15.5%	20.6%
	50-59	Count	14	4	18
		% within Sex	10.4%	4.8%	8.3%
	60-69	Count		2	2
		% within Sex		2.4%	.9%
	70+	Count	1		1
		% within Sex	.7%		.5%
Total	Count	134	84	218	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1		1
		% within Sex	.7%		.5%
	5-12	Count	2	1	3
		% within Sex	1.5%	1.2%	1.4%
	13-19	Count		1	1
		% within Sex		1.2%	.5%
	20-24	Count	2	10	12
		% within Sex	1.5%	11.9%	5.5%
	25-29	Count	7	18	25
		% within Sex	5.2%	21.4%	11.5%
	30-39	Count	48	29	77
		% within Sex	35.8%	34.5%	35.3%
	40-49	Count	50	14	64
		% within Sex	37.3%	16.7%	29.4%
	50-59	Count	19	8	27
		% within Sex	14.2%	9.5%	12.4%
	60-69	Count	4	3	7
		% within Sex	3.0%	3.6%	3.2%
	70+	Count	1		1
		% within Sex	.7%		.5%
Total		Count	134	84	218
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	51	18	69
		% within Sex	38.1%	21.4%	31.7%
	African American	Count	67	58	125
		% within Sex	50.0%	69.0%	57.3%
	Hispanic	Count	15	8	23
		% within Sex	11.2%	9.5%	10.6%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.7%		.5%
Total	Count	134	84	218	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	50		50
		% within Sex	37.3%		22.9%
	IDU	Count	16	16	32
		% within Sex	11.9%	19.0%	14.7%
	M-M & IDU	Count	17		17
		% within Sex	12.7%		7.8%
	Heterosexual Contact	Count	18	41	59
		% within Sex	13.4%	48.8%	27.1%
	Transfusion	Count	1	3	4
		% within Sex	.7%	3.6%	1.8%
Not Classified	Count	29	22	51	
	% within Sex	21.6%	26.2%	23.4%	
Ped Parent at Risk	Count	2	1	3	
	% within Sex	1.5%	1.2%	1.4%	
Ped Other-Undet	Count	1	1	2	
	% within Sex	.7%	1.2%	.9%	
Total		Count	134	84	218
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		69	69
		% within Adult-Ped		32.2%	31.7%
	African American	Count	4	121	125
		% within Adult-Ped	100.0%	56.5%	57.3%
	Hispanic	Count		23	23
		% within Adult-Ped		10.7%	10.6%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.5%	.5%
Total	Count	4	214	218	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Bryan-College Station

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	131	134
		% within Adult-Ped	75.0%	61.2%	61.5%
	Female	Count	1	83	84
		% within Adult-Ped	25.0%	38.8%	38.5%
Total		Count	4	214	218
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Bryan-College Station